

420:10-1-1. Purpose

The public policy of this State, as declared by the Legislature, requires that all persons, firms, corporations, associations and other legal entities that engage ~~in the manufacture, fabrication and assembly, or sale of LP Gas appliances~~ or in the sale of LP Gas or in the transportation of the same over the highways of the State of Oklahoma shall not engage in such business unless they have first secured a permit as required by the laws of the State of Oklahoma and the rules and regulations adopted pursuant to such laws. The rules of this chapter are intended to implement the policy and carry out the Board's statutory duty of regulation in the interest of public safety.

420:10-1-5. Permits

(a) **Permits required.** No person, firm, corporation, association or other entity shall engage in the manufacturing, assembling, fabrication, installing or selling of any system, container, or apparatus to be used in this State in or for the transportation, storing, dispensing, or utilization of LPG, nor shall any transporter, distributor, or retailer of LPG store, dispense and/or transport over the highways of this State any LPG for use in this State in any system, container, apparatus or appliance without having first obtained a permit to do so as provided in this section.

(b) **Permit classifications.** The permits required for engaging in business shall be divided into the following classifications:

(1) **Class I - Dealer permit.** The Class I Dealer Permit permits the holder to engage in any phase of the LP Gas business. A Class X Manager's permit must be secured for the person actually in charge of an LP Gas operation at each separate branch or base of operation of a Class I permit holder. The initial permit fee for a Class I is One Thousand Dollars (\$1,000.00) The annual renewal fee required to be paid for the Class I permit is ~~Nine Five Hundred Dollars (\$900.00~~ \$500.00).

(A) Class I holder can go on inactive status, but will have to meet all the requirements of the permit, including paying the annual renewal fee, and having proper insurance requirements filed with the Administrator, before going back on active status. If requirements are not met the permit will then be revoked. The annual renewal fee required to be paid for a Class I permit holder on inactive status is Four Hundred Dollars (\$400.00).

(B) Applicant must furnish to the Board, evidence of the following insurance:

(i) A minimum of \$1,000,000.00 general liability insurance, as per 420:10-1-18;

(ii) Worker's Compensation insurance shall be required as per state requirements;

(iii) Motor vehicle insurance must meet State and Federal requirements.

(C) Brokers/wholesalers selling LP Gas to anyone other than Class I permit holders or refinery/gas processing type facilities shall obtain a Class I permit and meet the requirements thereof, except for minimum storage and metering, when said sales are by transport bulkhead to bulkhead.

(D) Before testing for a Class I permit, an applicant must meet the following requirements as approved by the Board:

(i) Five (5) years experience as an active Class X Manager or equivalent;
and

(ii) Forty (40) hours of specified training.

(2) **Class II - Truck Transporter permit.** The Class II Transporter Permit permits the holder to transport LP Gas as a common carrier or private carrier to another of the following: a person, firm, or corporation engaged in the production or manufacture of LP Gas and/or selling or reselling LP Gas to transporters, industrial consumers, processors, distributors, retailers, and/or to holders of Class I, III, or VI permits. A Class II permit shall not authorize the resale of LP Gas to an end-user. A Class II permit shall not be a substitute where a Class I is needed. A transport must meet all CFR 49 requirements. The initial permit fee for a Class II is One Thousand Dollars (\$1,000.00). The annual fee for a Class II permit is Four Hundred Dollars (\$400.00). All LP Gas transport drivers employed by a Class II permit holder are required to obtain a fuel handlers card. The annual filing fee for a fuel handlers card is Ten Dollars (\$10.00).

(3) **Class III - DOT Cylinder Transporter Permit.**

(A) ~~The Class III DOT Cylinder Transporter Permit permits the holder to operate a cylinder delivery service. The separate endorsement will be as follows: III A, permits the holder to invoice the end user for bulk deliveries only when the LP Gas is delivered by a Class I permit holder. the holder to operate a LP Gas cylinder sale or delivery service for LP Gas in accordance with all other rules and regulations and NFPA Pamphlets 54 and 58.~~

(B) ~~The annual fee for a Class III permit is One Hundred Fifty Dollars (\$150.00). The annual fee for the separate endorsement is Three Hundred Dollars (\$300.00).~~Class III DOT Cylinder Transporter Permit for Un-Odorized LP Gas Endorsement. A separate endorsement to a Class III permit is required, if applicable, and in addition to the Class III DOT Cylinder Transporter Permit, and allows the holder to operate a DOT cylinder sale or delivery service for un-odorized LP Gas in accordance with all other rules and regulations, NFPA Pamphlets 54 and 58, and the following:

(i) Pursuant to this Endorsement, un-odorized LP Gas shall be sold or delivered in approved DOT cylinders only.

(ii) All deliveries shall be made in appropriately marked and placarded vehicles.

(iii) Delivery vehicles shall be operated by licensed personnel holding appropriate certificates and qualifications for the safe handling of LP Gas.

(iv) Prior to application or renewal of any Class III DOT Cylinder Transporter Permit for Un-Odorized LP Gas Endorsement the applicant or holder shall provide the Administration as part of this application or renewal a complete list of facilities and each delivery location, including name of facility, street address of facility, name of contact person and contact information of said facility and the name and location of the Class I permit dealer supplying the Un-Odorized LP Gas to the permit holder.

(v) Sales or deliveries of un-odorized LP Gas made pursuant to this Endorsement shall be made to facilities properly permitted by this Administration only.

(C) The Bulk Delivery Class III A Endorsement. The separate Class III A Bulk Delivery Endorsement to the Class III permit is required if applicable and shall permit the holder to invoice the end user for bulk delivery of odorized LP Gas to

the facility of the end user only when the LP Gas is delivered to that location by a Class I permit holder.

(D) The annual fee for a Class III permit is \$300. The annual fee for the Un-Odorized LP Gas Endorsement is \$300. The annual fee for the Bulk Delivery Endorsement is \$300.

(E) All DOT cylinder transport drivers employed by a Class III permit holder are required to obtain a fuel handlers card. The annual filing fee for a fuel handlers card is Ten Dollars (\$10.00).

(4) **Class IV - Installer permit.**

(A) The Class IV Installer Permit permits the holder to install and service LP Gas systems, appliances, and other LP Gas equipment. The applicant is required to have immediate supervision for two (2) weeks with a Class IV, IV-D, Class X, or a person licensed by Oklahoma Construction Industries Board with a Mechanical License, and then shall be required to pass a written examination for each separate endorsement. The endorsements will be as follows:

- (i) LP, Low Pressure systems covered by NFPA 54;
- (ii) HP, High Pressure systems covered by NFPA 58;
- (iii) RV, Recreational Vehicle systems covered by NFPA 1192;
- (iv) MC, Meter Calibration systems covered by NIST Handbook 44;
- (v) TI, Truck Inspections and Piping covered by NFPA 58 and CFR 49;
- (vi) DO, Dispenser Operator for Class IV permit holders that also dispense propane.

(B) Exception from two (2) week training period would be anyone already licensed by Oklahoma Construction Industries Board with a Mechanical License. If the supervising person determines that the new applicant is properly trained, proper documentation of the training is on file, and a Class IV application has been forwarded to the LP Gas Administration, the applicant at that time may begin performing the duties of a Class IV permit holder until such time as the test is administered and the permit issued. This time shall not exceed thirty (30) days or the applicant shall cease to perform these duties. Current Class IV's, as of September 1, 1994, are not required to take a written exam. Upon renewal, endorsements will be based on services provided as authorized by the Administrator. The annual fee for a Class IV permit with one (1) endorsement is Seventy Dollars (\$70.00). Each additional endorsement is Ten Dollars (\$10.00).

(C) Class IV permit does not permit the holder to install or service LP-Gas carburetion systems.

(D) Any installer not under the personal and direct supervision of a Class X holder at the immediate time and location of installation shall be required to have a Class IV or IV-D permit.

(5) **Class IV-D - Driver/Installer Permit.**

(A) The Class IV-D Driver/Installer Permit permits the holder to deliver LP Gas by bobtail and install and service LP Gas systems, appliance, and other LP Gas equipment. Class IV-D permit can only be issued under a Class I permit. New applicants must be under immediate supervision from a current Class IV-D, or Class X while in a minimum of a two (2) week training period before testing. Permit holder shall be required to pass a written examination. The tests shall be given

according to current policies of the LP Gas Administration. If the supervising Class X determines that the new applicant is properly trained, proper documentation of the training is on file, and a Class IV-D application has been forwarded to the LP Gas Administration, the applicant at that time may begin performing the duties of a Class IV-D permit holder until such time as the test is administered and the permit issued. This time shall not exceed thirty (30) days or the applicant shall cease to perform these duties. Current Class IV permit holders, as of September 1, 1994, properly trained in delivery of LP Gas will not be required to take the test and will be issued a IV-D permit. The annual fee for a Class IV-D is Fifty Dollars (\$50.00).

(B) Class IV-D permit does not permit the holder to install or service LP Gas carburetion systems.

(C) Any installer not under the personal and direct supervision of a Class X holder at the immediate time and location of installation shall be required to have a Class IV or IV-D permit.

(6) **Class VI - DOT Cylinder &/or LP Gas Motor Fuel Station Operator Permit.**

(A) The Class VI DOT Cylinder and/or LP Gas Motor Fuel Station Operator Permit permits the holder to operate DOT cylinder dispensing station and/or a motor fuel dispenser for public resale. Said Permit must be prominently displayed for public and official inspection at all times. A permit is required for each DOT cylinder dispensing station and/or motor fuel station. The endorsements will be as follows:

(i) AAG, This Attended Autogas "AAG" endorsement permits the holder to operate LP Gas dispenser stations that fill DOT cylinders and/or Attended LP Gas motor fuel refueling dispensers for resale.

(ii) UAG, This Unattended Autogas "UAG" endorsement permits the holder to operate Unattended self-service LP Gas motor fuel dispenser stations; however, these installations require more stringent regulations than those that are attended. In addition to the requirements in this section, the permit holder shall be required to install equipment that meets or exceeds the minimum installation and performance standards described in OAC Section 420:10-1-14(28). For the purpose of defraying the cost and expenses of administering and enforcing this rule, persons, firms and corporations shall pay at the time of initial inspection a fee of Three Hundred Dollars (\$300.00) for each unattended LP Gas motor fuel dispenser station. Thereafter, the annual inspection fee is One Hundred Fifty Dollars (\$150.00) for each unattended LP Gas motor fuel dispenser station.

(B) ~~Permit holder is responsible for the safety of the dispensing operation and training and safety of the employees dispensing LP Gas.~~ Permit holder must comply with reasonable training requirements of the Class 1 and Class 10 manager of the LP Gas provider insuring that all employees dispensing LP Gas at each location of permit holder are trained and permitted by this agency including notification to the Class 10 manager whenever training is necessary for new and/or unpermitted employees. Class VI locations may not become operational until a permit has been issued. A Class VI-A LP Gas Dispensing permit must be secured for the person actually in charge of an LP Gas dispensing operation of a Class VI permit holder. A permit will not be issued until the proper fee has been paid and

certificate of insurance is received by the LP Gas Administration. The annual fee for a Class VI permit is One Hundred Fifty Dollars (\$150.00).

(C) Un-Odorized LP Gas End User Endorsement. Facilities obtaining un-odorized LP Gas in approved DOT cylinders or otherwise for use must obtain an Un-Odorized LP Gas End User Endorsement. To obtain such an endorsement, detailed plans describing such use and location of cylinder storage, and any and all LP Gas plumbing in said facility must be submitted in writing and approved for any facility using un-odorized LP Gas in any manner. These plans must be submitted to the Administration Office along with the proper fee, and an on-site inspection must be performed by a Safety Code Enforcement Officer prior to final approval and before the introduction of LP Gas into the system. A \$100.00 plan review fee must accompany all plans submitted. The fee for the inspection is \$100.00. The annual fee for the Un-Odorized LP Gas End User Endorsement is \$500. This endorsement must be prominently displayed for official inspection at any time.

(7) **Class VI-A - LP Gas Dispensing Permit.** All employees involved in dispensing LP Gas must acquire a Class VI-A permit, except a Class IV, Class IV-D, and Class X. A Class VI-A LP Gas Dispensing permit is required for a person actively in charge of or engaged in LP Gas dispensing operations for the holder of a Class VI permit. All Class VI-A permit holders must be an employee of said Class VI permit holder. Class VI-A applicants must be properly trained by a ~~Class VI or Class X~~ or at a Board-approved training class on proper filling of ASME tanks and DOT cylinders, and inspection thereof per NFPA 58. Applicants shall be required to pass an approved written examination. Test shall be administered by a Safety Code Enforcement Officer, or by Class X manager. In either case, the test fee for the Class VI-A permit is Ten Dollars (\$10.00). Holder must post permit at the facility they are employed by ~~carry permit~~ and attend the a Board-approved annual safety school once every year. This does not prohibit any person, firm or corporation from filling his own equipment from his own supply line, or dispensing motor fuel from an approved limited access self-service dispenser. The annual fee for a Class VI-A permit is Thirty Five Dollars (\$35.00).

(8) **Class VII - Cylinder Exchange Program Permit.** The Class VII Cylinder Exchange Program Permit permits the holder to participate in the cylinder exchange program for odorized LP Gas only. A permit is required for each cylinder exchange location. Class VII locations may not become operational until a permit has been issued. Permits will not be issued until the proper fee has been paid and certificate of insurance is received by the LP Gas Administration. The annual fee for a Class VII permit is Fifty Dollars (\$50.00).

(9) **Class IX - LP Gas Container Sales Permit.** The Class IX Gas Container Sales Permit permits the holder to manufacture and/or sell LP Gas containers. This permit is required by both wholesalers and retailer. The annual fee for a Class IX permit is Seventy Dollars (\$70.00).

(10) **Class IX-A - Manufactured Homes and Recreation Sales Permit.**

(A) The Class IX-A Manufactured Homes and Recreation Sales Permit permits the holder to manufacture, fabricate and sell all LP Gas facilities or systems used in manufactured homes, campers, recreational vehicles and portable buildings whether such LP Gas system is manufactured, fabricated or sold separately or as an integral part of such trailer, camper, recreational vehicle or portable building. The annual fee for a Class IX-A is Seventy Dollars (\$70.00).

(B) This shall not be construed to require a permit for a sale by the owner of a manufactured home or recreational vehicle who is not engaged in such business on a commercial basis and does not make over two such sales in one year.

(11) **Class X - Manager's Permit.**

(A) A Class X Manager's permit is required for a person actively in charge of LP Gas operation for holder of Class I permit and at each separate branch or base of operation of a Class I permit. All Class X holders must be a full-time employee of said Class I holder. The annual fee for a Class X permit is One Hundred Fifty Dollars (\$150.00).

(B) Before testing for a Class X permit, an applicant must meet the following requirements as approved by the Board:

- (i) Hold an active Class IV or Class IV-D permit and employed under an active Class I Dealer for a minimum of three (3) years or equivalent; and
- (ii) One (1) year of the minimum three (3) years required experience can be satisfied with forty (40) hours of specified training.

(C) Temporary exemptions for emergency conditions can be granted by the Administrator.

(12) **Additional permits required for employees of Class I dealers.** Class IV, IV-D, VI-A, and X permits are the only additional permits that may be required for the employees of a Class I dealer, or as may be required by future Board action.

(13) **LP Gas Trailer, Bobtail or Cargo Tank inspections.** For the purpose of defraying the cost and expenses of administering and enforcing this act, persons, firms and corporations shall also pay at the time of inspection an annual inspection fee of One Hundred Fifty Dollars (\$150.00) for each LP Gas bobtail, MC 330 or MC 331 trailer or cargo tank that transports LP Gas in this State. All requirements imposed subsequent to these inspections must be met within thirty (30) days of the initial inspection. Failure to comply will necessitate a re-inspection at a charge of One Hundred Fifty Dollars (\$150.00) for each inspection. The inspection fee shall increase to Three Hundred Dollars (\$300.00) for each LP Gas bobtail, MC 330 or MC 331 trailer or cargo tank that transports LP Gas in this State if said LP Gas bobtail, MC 330 or MC 331 trailer or cargo tank is not initially inspected within sixty (60) days following the current permit expiration date, or if requirements imposed subsequent to the initial inspection are not completed within sixty (60) days of the initial inspection, whichever is later, or at the discretion of the Administrator.

(14) **Containers or cylinders.** There is hereby levied the following fee, to be paid to the Administrator, upon all first sales, purchases, rentals or uses in this state of liquefied petroleum gas containers or cylinders; on all Department of Transportation (DOT) cylinders, vehicle fuel containers, a fee of Three Dollars (\$3.00) each, and on all other containers, a fee of Ten Dollars (\$10.00) each.

420:10-1-8. Processing and handling of applications and examinations

(a) **Scheduling.** Upon the receipt of an application for a permit for Class I or Class X permit the Board or Administrator shall schedule the applicant provided therein for examination at the next periodic written examination, unless the application be filed less than 30 days prior to the next scheduled written examination.

(b) **Passing score.** A score of 80% correct shall be a passing grade for all examinations.

(c) **Examinations.**

(1) **Class I examination.** Questions for a Class I examination shall be selected at random from a reservoir of questions consisting of no less than 500 questions but no more than 1000 questions. Questions shall be of four-part, multiple choice. Prior to being placed in the reservoir the questions shall be reviewed by the Administrator and approved by the Board. For each examination a total of 150 questions shall be drawn from the reservoir. All applicants sitting at one time shall receive identical examinations. Questions shall be from NFPA pamphlets 58 and 54 and rules and regulations promulgated by the Board. All exams shall be coded in such a manner that identity of the applicant shall be unknown to the grading authority.

(2) **Qualified Managers examination.** Questions for a Class X Qualified Managers Examination shall be selected at random from a reservoir of questions consisting of no less than 500 questions but no more than 1000 questions. Questions shall be of four-part, multiple choice. Prior to being placed in the reservoir the questions shall be reviewed by the Administrator and approved by the Board. For each examination a total of 100 questions shall be drawn from the reservoir. All applicants sitting at one time shall receive identical examinations. Questions shall be from NFPA pamphlets 58 and 54 and rules and regulations promulgated by the Board. All exams shall be coded in such a manner that identity of the applicant shall be unknown to the grading authority.

(3) **Class IV and IV-D examinations.** Class, IV and IV-D examinations consist of standardized examinations. Class IV examinations will consist of 50 questions and Class IV-D exam will consist of 75 questions, each to be prepared by the Administrator.

(4) **Class ~~II, III, VI-A, VII~~ examinations.** Class ~~II, III, VI-A, and VII~~ examinations shall be standard concerning basics of safety and handling of LP Gas. The examination to be prepared by the Administrator.

(d) **Applicant information.**

(1) All applicants for the same type permit sitting at any one time shall receive identical examinations.

(2) All applications and examinations except Class I and Class X shall be scheduled by the Administrator at such times as he may deem appropriate.

(3) Applicants may review their examination papers at the Administration Office within 30 days after examination date.

420:10-1-14. Standards for the storage and handling of liquefied petroleum gas

(a) **NFPA standards.** The standards for the storage and handling of liquefied petroleum gases adopted by the National Fire Protection Association and published in its pamphlets No. 58, and the standards for the installation of gas appliances and gas piping adopted by said National Fire Protection Association published in its pamphlet No. 54 have been adopted by the Legislature in 52 O.S. 1991, Section 402.3 (e) and shall be accepted standards for the State of Oklahoma. All Class I permit holders must have a current copy of NFPA 58 and 54 on file at each separate branch.

(b) **Supplemental standards.** The following standards are supplemental to NFPA pamphlet No. 58 and shall be part of the rules and regulations of the Oklahoma Liquefied Petroleum Gas Board:

(1) **Definitions.**

(A) The word "approved" as used in this section means acceptable to the State Liquefied Petroleum Gas Administrator. A device or system having materials or forms different from those detailed in this section may be examined and tested according to the intent of the regulations and if found equivalent, may be approved.

(B) In this section those provisions which are considered essential for adequate protection of life and property from fire are indicated by the words "shall" and "must". The words "should" or "preferably" indicate advisory provisions concerning which the State Liquefied Petroleum Gas Administrator of Oklahoma should be consulted.

(C) In each place mentioned in NFPA No. 54 and NFPA No. 58 where it refers to "the authority having jurisdiction" this would mean the Liquefied Petroleum Gas Administrator.

(D) An "important building" shall be any building, open to the public, or inhabited by people, in which any LP Gas system or any type is installed

(2) **Submittal of plans.**

(A) Prior to the installation of new, or the modification of liquefied petroleum gas plumbing systems, excluding tank change outs, in school buildings, churches, courthouses, office building and other building to which the public is invited, such as cafes, dance halls, tourist courts and parks, plans and specifications for such installation in duplicate, shall be submitted to, and approved, by the State Liquefied Petroleum Gas Administrator, and before such systems are filled with liquefied petroleum gas, they shall be physically inspected and approved by a licensed installer and a report made by him to the State Liquefied Petroleum Gas Administrator on LPG Form 4, or its revision, furnished by the LP Gas Administrator's office.

(B) Plans must be submitted and approved on any dispenser used to fill DOT cylinders and/or ASME containers, and used for public resale of LP Gas, including unattended self-service LP Gas motor fuel dispenser stations. These plans must be submitted by a Class I permit holder to the Administration office along with the proper fee, and an onsite inspection must be performed by a Safety Code Enforcement Officer prior to final approval and before the dispenser can be placed into service. A One Hundred Dollar (\$100.00) plan review fee must accompany all dispenser plans submitted. If a dispenser is taken out of service, written notice must be given to the Administration office within seven (7) working days. If a dispenser is moved to a new location, new plans must be submitted to the Administrator and onsite inspection performed by a Safety Code Enforcement Officer prior to final approval and dispenser being placed into service. A complete list of dispensers by location shall be submitted to the LP Gas Administration as indicated on Class I permit renewal forms.

(C) Plans must be submitted to, and approved, by the Administrator on any fixed installation with individual water capacity of 2,000 gallons or more, or aggregate water capacity exceeding 4,000 gallons.

(D) Plans must be submitted and approved for any facility using Un-Odorized LP Gas in any manner and a permit endorsement must be obtained pursuant to 420:10-1-5(b)(6)(C). These plans must be submitted to the Administration Office

by the permit holder or applicant proposing to service such facility with product along with the proper fee. An on-site inspection must be performed by a Safety Code Enforcement Officer of the LP system prior to final approval and before the introduction of LP Gas and the system placed into service. A \$100 plan review fee must accompany all plans submitted. The final inspection fee is \$100.00.

- (3) **Report of accident.** In case of accident or fire at any location where a liquefied petroleum gas system or equipment is involved, or any accident involving liquefied petroleum gas systems or equipment, the dealer owning, operating or servicing the equipment or installation shall notify the State Liquefied Petroleum Gas Administrator. This notification shall be forwarded as soon as feasibly possible after the dealer has knowledge of the accident in order that an inspection may be made by the State Liquefied Petroleum Gas Administrator before the site has been disturbed
- (4) **Piping - including pipe, tubing and fittings.**
- (A) No person, firm, or corporation shall connect a liquefied petroleum gas tank to any piping without having first determined that such piping complies with the laws of the State of Oklahoma and the rules and regulations of the State Liquefied Petroleum Gas Administrator relative to liquefied petroleum gas piping.
 - (B) All installations, installed after July 1, 2002, of storage containers, with more than 4,000 gallon water capacity, shall have internal valves installed as per NFPA 58.
 - (C) On installations of stationary or portable storage, with an aggregate of more than 4,000 gallon water capacity, a bulkhead approved by the LP Gas Administrator shall be required on each liquid line of one and one-half (1-1/2) inch or larger and each vapor line of one and one-quarter (1-1/4) inch or larger.
- (5) **Vaporizers and housings.**
- (A) The minimum capacity of the storage container feeding the vaporizer shall not be less than ten (10) times the hourly capacity of the vaporizer in gallons.
 - (B) The minimum capacity of a storage container being heated by a direct fired tank heater shall not be less than ten (10) times the hourly vaporizing capacity of the tank heater in gallons.
- (6) **Liquid metering systems.** Each bulk retail delivery of liquid LP Gas shall be measured by a suitable LP Gas liquid meter system, except those deliveries of liquid LP Gas in cylinders which are filled by weight, deliveries of LP Gas vapor through vapor meters and a delivery of a full transport load from the terminal to the end-user with a bill of lading, are exempt from the requirements of this paragraph.
- (A) LP Gas Liquid meters shall indicate deliveries in terms of gallons and to the nearest tenth of a gallon.
 - (B) The LP Gas liquid meter shall meet, in addition to the other requirements of this paragraph, the following requirements:
 - (i) The system shall include a device (such as a differential back-pressure regulator) so designed and installed that the product being measured will remain in a liquid state during passage through the meter.
 - (ii) No means shall be provided by which any measured liquid can be diverted from the measuring chamber, differential valve equipment or the discharge line therefrom.

(iii) Effective January 1, 1994, in accordance with the National Institute of Standards and Technology (NIST) Handbook 44, all LP Gas Liquid meters used for bulk delivery shall be designed with the necessary equipment for mechanically printing gallons on a delivery ticket and the customer served thereby shall be given a ticket mechanically imprinted by the printing device. The customer's name and Class I Dealer's name must be included on the metered ticket. Meters used for stationary dispensing of motor fuel will not be required to be equipped with such printing device.

(iv) All bulk metered sales of propane, via bobtail or transport, shall be made by temperature compensated measure. Except, any truck now operating without a temperature compensation meter shall be retrofitted by no later than July 1, 2003.

(C) All meters where product is sold to the public must be proved annually by an approved meter tester/inspector and have written certification on file at permit holders place of business. All meters and temperature compensators must be accurate within the manufacturers tolerance not to exceed + or -1% at any time. The LP Gas liquid meter system shall be designed and constructed to provide for applying lead-and-wire seals in such a manner that no modifications or adjustments which would affect the accuracy of deliveries, can be made without mutilating the seal or seals. If a seal is broken, notification must be made to the Administrator and resealed by a Safety Code Enforcement Officer, an approved meter tester, or a person approved by the Administrator. In addition, the Administrator at his discretion may require proving of metering system to determine the accuracy.

(D) No dealer or firm controlled or affiliated with a dealer may calibrate or certify its own meters. All meters must be tested with a volumetric meter prover.

(7) **Qualified personnel.** Each holder of an LP Gas permit shall be responsible for having qualified personnel operating and installing LP Gas equipment.

(8) **Filling unsafe or unapproved dispensing or storage tanks prohibited.** No person, firm, or corporation shall introduce liquefied petroleum gas into a dispensing or storage tank in the State with knowledge that such dispensing or storage tank or piping is known to be in an unsafe operating condition.

(9) **Basement installations.** No appliance shall be installed in any basement or semi-basement unless it is fully automatically controlled and properly vented and must have the approval of the State Liquefied Petroleum Gas Administrator.

(10) **Standards for containers.**

(A) In accordance with 52 O.S. Sec. 420.5, all first sales, rentals, purchases or uses of DOT cylinders and ASME tanks in this State, must have Oklahoma Identification tags attached to such cylinders or tanks. However, all DOT cylinders and ASME tanks in Oklahoma, with a manufacturers date prior to September 1, 1993, are not required to have Oklahoma Identification tags. These Oklahoma Identification tags are not transferable from one cylinder or tank to another.

(B) Any new container sold or installed in Oklahoma for use in this State shall carry a five year warranty covering workmanship and material. This warranty shall provide that any container not in compliance with this regulation must be repaired

or replaced by the fabricator at no expense to the dealer or customer. This provision is to take care of "pin-hole" leaks in the weld that were not detected at the time of fabrication and does not apply to fittings.

(C) Containers shall be filled or used only upon authorization of the fee simple owner. The name of the fee simple owner, if other than the consumer, shall be conspicuously shown on the container.

(D) Any stationary storage container converted from anhydrous ammonia to propane shall be converted as follows:

(i) The container shall be purged of anhydrous ammonia by water flooding, steam or other methods described by the National Propane Gas Association's (NPGA) Recommendation for Prevention of Ammonia Contamination; and

(ii) It shall then be properly purged with propane vapor and tested with the red litmus paper as described in NFPA 58 or by any other test approved by the Board; and

(iii) The test shall be completed by the permit holder that performs the conversion; and

(iv) The results shall be documented and shall contain the container manufacturer, water capacity, serial number, the results of the test, the capacity of the relief valve, the date of the test, and the signature of the permit holder conducting the test. A copy of the results shall be provided to the owner of the container; and

(v) Any dealer filling a converted anhydrous ammonia container for the first time shall either be provided a copy of the test or complete the test as described above; and

(vi) The container shall meet all requirements of NFPA 58.

(11) **Underground containers.**

(A) Underground containers before being reinstalled must be inspected by the State Liquefied Petroleum Gas Administrator, and a fee of One Hundred Dollars (\$100.00) paid to the State Liquefied Petroleum Gas Administrator's office, and reinstalled by a licensed LP Gas installer.

(B) Underground containers shall be dug up at the expense of the owner at any time at the discretion of the State Liquefied Petroleum Gas Administrator.

(C) Prior to performing an installation of an underground container a person must complete Board approved Cathodic Protection training.

(12) **Minimum storage.** All new Class I permit holders must provide bulk propane storage capacity of not less than an aggregate of 18,000 water gallons. The minimum storage must be maintained and operational, with installation approved by the authority having jurisdiction, and within a fifty (50) mile radius of the corporate office or branch location. The minimum storage shall be considered maintained if the area meets the requirements of NFPA 58, the rules and regulations established by the Board and is kept reasonably clear of long, dry grass, weeds, debris, and any other combustible material. Any exceptions to the minimum storage requirement may be granted by the Board. Current active Class I permit holders, as of September 1, 1994, are not required to meet this minimum storage requirement. After a change of ownership the new Class I permit holder must secure the minimum storage requirement within one year.

- (13) **Painting.** All bulk storage containers of a capacity 120 gallons water capacity or greater shall be painted a heat reflection color.
- (14) **Lettering bulk storage and dispensers.**
- (A) All bulk storage 2,000 gallons and above shall be lettered with the name of the contents, such as LP Gas, butane, propane, and a "No Smoking" sign in letters not less than six (6) inches high.
 - (B) In addition to subparagraph (A) of this paragraph, all bulk storage used for loading and unloading facilities, and all container filling storages (dispensers) shall include the name of the person, firm, or corporation operating the bulk storage or dispenser and their phone number in letters not less than two (2) inches high. This information shall be placed so as to be readily visible to the public.
 - (C) For all size bulk storage containers the name of the fee simple owners, if other than the consumer, shall be conspicuously shown on the container.
- (15) **Extinguishers required.** Extinguishers of the dry chemical type, with a B:C or A:B:C rating, are required. Extinguishers shall have a net content of not less than the current NFPA 58 requirements and shall be inspected at least once each year by an authorized inspector such as Fire Departments or Fire Appliance Company representatives. Current weatherproof inspection tags shall be attached to the extinguisher.
- (16) **Marking cargo vehicles.** Every tank vehicle used for transportation of liquefied petroleum gas shall be marked and placarded according to current DOT requirements. Each tank vehicle must also have the name of the person, firm or corporation on each side of the cargo tank in letters a minimum of two (2) inches in height. This information shall be placed so as to be readily visible to the public. This name shall be the same as permit holder has designated on the Class I or Class II permit.
- (17) **Parking and garaging LP gas tank vehicles.** Any tank vehicle used for transportation of Liquefied petroleum gas shall not be parked beneath or adjacent to any electric transmission line in such position that there is a possibility of a conductor contacting the tank in event of breakage.
- (18) **Filling unapproved truck, trailer or cargo tanks prohibited.**
- (A) An inspection form, when properly completed, and a LPG registration decal (the serial number of which is shown on the inspection form), shall be evidence that the liquefied petroleum gas truck, trailer or cargo tank described on the inspection form by its serial number has been approved by the Liquefied Petroleum Gas Administrator for use in the transportation of liquefied petroleum gas. Such LPG registration decal and inspection form also shall authorize the person, firm or corporation whose name appears on the inspection form or its bona fide employees to operate the truck or trailer tank described on the inspection form, and further shall authorize the filling of such truck, trailer or cargo tank with liquefied petroleum gas.
 - (B) The LPG registration decal shall be displayed at all times in an easily visible location on the left front of the cargo tank, which is on the driver's side. A copy of the inspection form shall be retained, until the expiration date, in the office of the person, firm or corporation whose name appears thereon. It will not be necessary to keep or display a copy of the inspection form on the truck, trailer or cargo tank.

(C) No person, firm or corporation shall operate a truck, trailer or cargo tank in the transportation of liquefied petroleum gas in this State unless such person, firm or corporation has been issued a LPG registration decal and an inspection form certifying that such tank has been registered with and approved by the State Liquefied Petroleum Gas Administrator, or unless its operation has been specifically approved by a communication from the State Liquefied Petroleum Gas Administrator.

(D) The LPG registration decal and the inspection form required in this paragraph are not transferable by the person, firm or corporation to whom they are issued or from one truck, trailer or cargo tank to another, and they are not to be used after the expiration date of the fiscal year for which they were issued, or in the event the Class I permit becomes inactive.

(19) **Vaporizers.** Exhaust gases shall not be used as a direct means of heat supply for the vaporization of fuel.

(20) **Stationary engines in building.**

(A) All engine rooms shall be well ventilated at the floor level.

(B) When engines are installed below grade level, suitable floor level mechanical exhaust ventilation shall be provided and operated continuously or adequate means shall be provided to purge the room before the engine is started. In any case the mechanical ventilation shall be in operation when the engine is running. Before and during any repairs to the engine the room shall be ventilated.

(C) Automatic fire doors shall be provided at openings in the engine room that open into other sections of the building.

(D) Exhaust gases shall be discharged outside the building in a manner that will not create a fire or any other hazard.

(E) Regulators and pressure relief valves installed in buildings and engine rooms shall be vented to the outside and discharge at least five feet away from any building opening. Such venting will not be required for combination engine fuel vaporizing - fuel reducing - fuel metering devices providing an acceptable automatic shut-off valve is installed immediately ahead of such devices.

(21) **Storage outside of buildings.** Valves and safety relief devices shall be protected against accumulations of ice and snow. Protective caps shall be deemed adequate.

(22) **Appliances.** Any mobile home, travel trailer, camper or recreational vehicle shall be delivered to the buying public by the permit holder with the system properly installed and free of leaks.

(23) **Maximum vapor pressure and container working pressure.**

(A) The maximum vapor pressure of the product at 100 degree Fahrenheit which may be transferred to a container shall not exceed the design working pressure of the container. Exception: 200 psig ASME working pressure vessels in LP Gas service in Oklahoma prior to January 1, 1994, may be continued in service for commercial propane, provided that they are fitted with relief valves and meet the start-to-leak setting in relation to the design pressure of the container, shall be in accordance with NFPA 58. For the purpose of this exception, "commercial propane" is defined as having a vapor pressure not in excess of 210 psig at 100 degree Fahrenheit. This exception does not apply to LP Gas motor fuel and mobile fuel containers.

(B) Any stationary 200 psig ASME containers brought into Oklahoma from out of state and intended for stationary LP Gas installation in Oklahoma at any facility requiring submission of plans and specification must be tested by at least two (2) of the following nondestructive test methods recognized by ASME to determine if the container or assembly is safe for LP Gas use in Oklahoma. The following test results must be submitted to the Oklahoma LP Gas Administration for approval.

- (i) Hydrostatic Test;
- (ii) Ultrasonic thickness test;
- (iii) Wet particle fluorescent or magnaflux.

(24) Testing, leakage and visual inspection, and meter calibration.

(A) Hydrostatic testers operating in Oklahoma that are hydrostatic testing cargo containers for LP Gas use in Oklahoma must be approved by the Oklahoma LP Gas Board and shall:

- (i) Hold a Federal C.T. number;
- (ii) Include in their testing the use of a calibrated pressure chart recorder;
- (iii) Hold a Class IV installer permit.

(B) Leakage and visual inspectors operating in Oklahoma and performing this inspection on cargo containers and their systems for LP Gas use in Oklahoma must be approved by the Oklahoma LP Gas Board and meet the following requirements:

- (i) Inspectors shall hold a Federal C.T. number;
- (ii) If the inspection includes repairs that require the LP Gas system to be re-plumbed, a Class IV permit is required.

(C) Meter calibrators operating in Oklahoma that are calibrating meters for LP Gas use in Oklahoma must be approved by the Oklahoma LP Gas Board and meet the following requirements:

- (i) Meters shall be tested in accordance to Oklahoma Rules and Regulations, Section 420:10-1-14(7);
- (ii) Meter calibrators shall furnish the meter owner a copy of the calibration showing the correct gear numbers and temperature compensator settings;
- (iii) Meter calibration results shall be on a form approved by the LP Gas Administrator and a copy of the completed form shall be furnished to the meter owner;
- (iv) Meter calibrators shall hold a Class IV permit.
- (v) Meter calibration testers shall test meters according to National Institute of Standards and Technology (NIST) standards.

(25) Cylinder exchange stations.

(A) Cylinder exchange cabinets shall be constructed as per NFPA 58.

(B) The cabinet shall have the following signs affixed to it and readily visible to the public:

- (i) "Propane" or "Flammable Gas" and "No Smoking" in letters not less than two (2) inches high;
- (ii) "Net Weight ___ lbs." with the net weight of the cylinders to be specified, all of which shall be displayed on the front of the cabinet in letters not less than two (2) inches high;

- (iii) Name of Class I permit holder who supplies the cylinders;
 - (iv) 24-hour Emergency telephone number.
 - (C) The cabinet shall be located for distance and number of cylinders as per NFPA 58.
 - (D) The cylinder storage area shall be kept free of wood, debris and other combustible/flammable material not necessary to the storage for a distance of ten (10) feet, not to include the construction materials of the building itself.
 - (E) Protection against vehicle impact shall be provided in accordance with good engineering practice where vehicle traffic normally is expected at the location as per NFPA 58.
 - (F) A fire extinguisher shall be provided as per NFPA 58
 - (G) A warning sign shall be posted at or near any entrance doorway stating the "LP GAS EXCHANGE CYLINDERS EMPTY OR FULL SHALL NOT BE TAKEN INDOORS FOR ANY REASON."
 - (H) The Class I permit holder shall provide safety training materials to the Class VII permit holder. The Class VII permit holder is responsible for providing appropriate safety information to the individual exchanging the cylinder. This documentation of training will be kept by the Class VII permit holder at the Class VII location.
 - (I) Automated cylinder exchange cabinets that include an automated vending system for exchanging cylinders shall comply with the following additional requirements:
 - (i) Electrical equipment installed in cylinder storage compartments shall comply with the requirements for Class I, Division 2 equipment in accordance with NFPA 70, National Electrical Code;
 - (ii) Cabinets shall be designed such that cylinders can be placed inside only in the upright position;
 - (iii) Door releases for access to stored cylinders shall be permitted to be pneumatic, mechanical or electrically powered;
 - (iv) A manual override control shall be permitted for use by authorized personnel;
 - (v) The vending system shall not be capable of returning to automatic operation after a manual override until the system has been inspected and reset by authorized personnel.
 - (J) A Class I permit shall be required in order to supply exchange cylinders for the cylinder exchange permit holder.
 - (K) A busy sidewalk and thoroughfare, as referenced in NFPA 58, shall be further defined as not being located on private property. A busy sidewalk is alongside a public road and a thoroughfare is a public road.
- (26) **Recreational vehicles.** Installations or repairs on LP Gas systems on recreational vehicles shall be performed as per NFPA 1192, Standard on Recreational Vehicles.
- (27) **Minimum installation and performance standards of unattended self-service LP Gas motor fuel dispenser stations.**
- (A) Unattended self-service LP Gas motor fuel dispenser stations shall meet the applicable sections of the rules and regulations of the Oklahoma Liquefied Petroleum Gas Board and NFPA 58.

- (B) Any unattended self-service LP Gas motor fuel dispenser shall also meet all Alternative Provisions for Installations of ASME containers found in NFPA 58 regardless of tank size. This includes Redundant Fail Safe Product Control and Low Emission Transfer requirements.
- (C) The delivery valve and nozzle combination shall be designed, installed, and operated, so that LP Gas will not be released unless the valve is correctly attached to the filler coupling on the receiving valve of the LP Gas motor fuel container.
- (D) To maintain minimum performance standards, the following shall be considered minimum system performance requirements:
 - (i) Dispensing rate minimum of eight (8) gallons per minute (GPM) per manufacturer's specifications;
 - (ii) Vehicle fueling area, ground where vehicle is parked, shall be reasonably level to allow for complete fuel fills.
- (E) The dispenser shall have the following signs affixed to the dispenser and readily visible to the public:
 - (i) Step by step operating instructions, approved in advance by the Administrator;
 - (ii) A warning sign(s) stating, "WARNING, STATE LAW PROHIBITS FILLING ANY PORTABLE DOT CONTAINERS AT THIS DISPENSER" and "All vehicles refueling at this dispenser must have an appropriate ASME container fitted with an operational OPD valve" in letters not less than two (2) inches high;
 - (iii) Proper name of LP Gas being dispensed, as specified by federal regulations at CFR-Title 49, in letters not less than two (2) inches high;
 - (iv) "No Smoking" in letters not less than two (2) inches high;
 - (v) 24-hour emergency telephone number in letters not less than two (2) inches high;
 - (vi) Name of the Class 1 permit holder that services the dispenser, in letters not less than two (2) inches high.

420:10-1-16. Training schools

- (a) **Safety schools for Class I dealers and X managers.** It shall be the continuing responsibility of all Class I holders, including Sole Proprietorships and Class X permit holders to attend a Board sanctioned management safety seminar at least once every two years. Seminars shall be available at least annually, with biennial attendance a requisite for license renewals.
- (b) **Safety school for fuel handling personnel.** Class IV, IV-D, VI, and VI-A,~~and X~~ permit holders must attend a Board sponsored or sanctioned safety school at least once a year.
 - (1) Schools will be held at least annually at such times and places as may be deemed advisable. It shall be the administration policy to make available regional schools for the convenience of the industry.
 - (2) Such schools in no way relieve the dealer of the responsibility of training new employees adequately through on the job training.
 - (3) A fuel handlers card is required for all LP Gas transport drivers to demonstrate their qualifications per CFR 49 requirements for transporting LP Gas.
- (c) **Compliance.** Failure to comply with this section shall be cause for suspension or revocation of the permit under which such person, firm or corporation might be operating.

420:10-1-18. Insurance requirements

Insurance pursuant to the provisions of this section shall be maintained in full force and effect during the operation of the business for which the coverage was issued. Except as otherwise provided for in this section, no registration permit shall be issued until said certificate is filed with the Administrator. No insurance coverage shall be canceled or terminated without thirty (30) days prior written notice of cancellation or termination to the Administrator. The following are the minimum insurance requirements for LP Gas permit holders licensed by the State of Oklahoma

(1) **Class I - Dealer Permit.**

(A) General liability, Bodily Injury, Property Damage, including products and completed operations liability coverage shall be obtained as follows: \$1,000,000 per occurrence; \$1,00,000 aggregate.

(B) Motor vehicle insurance must meet State and Federal requirements.

(C) Workers' compensation insurance shall be obtained as required by Oklahoma State statutes.

(2) **Class II - Truck Transporter Permit.**

(A) General liability, Bodily Injury, Property Damage, including products and completed operations liability coverage shall be obtained as follows: \$1,000,000 per occurrence; \$1,000,000 aggregate.

(B) Motor vehicle insurance must meet State and Federal requirements.

(C) Workers' compensation insurance shall be obtained as required by Oklahoma State statutes.

(3) **Class III - DOT Cylinder Transporter Permit.**

(A) General liability, Bodily Injury, Property Damage, including products and completed operations liability coverage shall be obtained as follows: \$1,000,000 per occurrence; \$1,000,000 aggregate.

(B) Motor vehicle insurance must meet State and Federal requirements.

(C) Workers' compensation insurance shall be obtained as required by Oklahoma State statutes.

(4) **Class IV - Installer Permit.**

(A) General liability, Bodily Injury, Property Damage, including products and completed operations liability coverage shall be obtained as follows: \$500,000 per occurrence; ~~\$50,000~~ \$500,000 aggregate.

(B) Workers' compensation insurance shall be obtained as required by Oklahoma State statutes.

(5) **Class IV -D - Driver/Installer Permit.** The Class IV-D permit is only issued in conjunction with the Class I permit; therefore, the insurance coverage of the Class I permit holder will cover the Class IV-D permit holder.

(6) **Class VI - DOT Cylinder &/or LP Gas Motor Fuel Station Operation Permit.**

(A) General liability, Bodily Injury, Property Damage, including products and completed operations liability coverage shall be obtained as follows: \$100,000 per occurrence; \$100,000 aggregate.

(B) Workers' compensation insurance shall be obtained as required by Oklahoma State statutes.

- (7) **Class VI-A - LP Gas Dispensing Permit.** The Class VI-A permit is only issued in conjunction with the Class I, II, III, VI and/or VII permit; therefore, the insurance coverage of the Class I, II, III, VI and/or VII permit holder will cover the Class VI-A permit holder.
- (8) **Class VII - Cylinder Exchange Program Permit.**
(A) General liability, Bodily Injury, Property Damage, including products and completed operations liability coverage shall be obtained as follows: \$25,000 per occurrence; \$25,000 aggregate.
(B) Workers' compensation insurance shall be obtained as required by Oklahoma State statutes.
- (9) **Class IX - LP Gas Container Sales Permit.**
(A) General liability, Bodily Injury, Property Damage, including products and completed operations liability coverage shall be obtained as follows: \$25,000 per occurrence; \$25,000 aggregate. This insurance coverage is only necessary when the permit holder engages in manufacturing and/or installing LP Gas containers.
(B) Workers' compensation insurance shall be obtained as required by Oklahoma State statutes.
- (10) **Class IX-A - Manufactured Homes and Recreation Sales Permit.**
(A) General liability, Bodily Injury, Property Damage, including products and completed operations liability coverage shall be obtained as follows: \$25,000 per occurrence; \$25,000 aggregate. This insurance coverage is only necessary when the permit holder engages in manufacturing, fabrication or installation of LP Gas systems.
(B) Workers' compensation insurance shall be obtained as required by Oklahoma State statutes.
- (11) **Class X - Manager's Permit.** The Class X permit is only issued in conjunction with the Class I permit; therefore, the insurance coverage of the Class I permit holder will cover the Class X permit holder.

420:10-1-20. Suspension or revocation of registration permits and fines; appeals

(a) The Administrator is authorized to suspend or revoke any registration permit issued by the Board, if it is found at a hearing on the matter, that the registrant has violated or is violating or has failed or is failing to comply with any provisions of Title 52, O.S., Section 420.1 and following, or these rules or specifications, or has delivered a lesser quantity of gas than the registrant bills the customer for with intent to defraud.

(b) Administrative actions presented to the Administrator shall be an individual proceeding governed by the provisions of Article II of the Oklahoma Administrative Procedures Act.

(c) **Notice of Hearing on Citation.** The administrative process shall be initiated upon the filing of a Notice of Hearing on Citation which will provide notice of the proposed administrative action, including a statement of the time, place and nature of the hearing, the legal authority and jurisdiction under which the hearing is to be held, a reference to the sections of statutes and rules involved and a statement of the matters asserted. The Notice of Hearing on Citation

~~(b) Upon his or her own motion, or upon the receipt of written complaint from any member of the Board, or from any Deputy Administrator or Inspector, that a registrant has violated or is violating or has failed or is failing to comply with any of the provisions of Section 420.1 and following, or these safety rules, regulations and/or specifications, the Administrator is authorized and it shall be his or her duty to hold a public hearing to consider such complaint. The~~

~~Administrator shall have the power to conduct investigations; to summon and compel the attendance at such hearing of Witnesses; to require the production of any records or documents pertinent to the subject matter of any investigation or hearing; and to provide for the taking of depositions of witnesses in accordance with the rules of the district courts of this state. Notice of the date, time and place of any such hearing shall be given by registered mail not less than ten (10) days, exclusive of the date of mailing, before the date thereof, addressed to the registrant complained against and to any other parties involved, each of whom shall have the right to file answer, to appear and be heard in person and by counsel, and to present evidence at such hearing. The registrant complained against and any other parties involved may appear in person or present their case, including any evidence supporting their case, in writing to the Administrator in lieu of their making a physical appearance, and the Administrator will consider any such written evidence at the hearing.~~

(d) **Burden of proof.** At any hearing conducted pursuant to this section, the LP Gas Administration shall have the burden of proving by clear and convincing evidence that the registrant has violated the statutes or rules stated in the Notice.

(e) **Hearing officer.** The Administrator shall act as hearing officer and shall preside over the hearings. The Administrator shall have the duty to conduct a fair hearing, to take all necessary action to avoid delay, and to maintain order. The Administrator shall have all powers necessary, including, but not limited to:

- (1) Examine witnesses and direct witnesses to testify.
- (2) Receive, rule on, exclude or limit evidence.
- (3) Rule on procedural issues.

(f) **Recording.** Testimony given at a hearing shall be audio recorded. All parties to the hearing may receive a copy of the audio upon request of the LP Gas Administration and payment of the costs thereof. Any party desiring a stenographic record of the testimony, at their own expense, may provide the services of a licensed or certified shorthand reported to obtain an official record of the hearing.

(g) **Proposed Findings of Fact and Conclusions of Law.** Any party to the hearing may file proposed findings of fact and conclusions of law within the time fixed by the hearing officer. Any party so filing shall also serve one copy of their proposed findings and conclusions upon each other party to the hearing.

~~(e)(h) **Order.** If the Administrator finds at a hearing that the registrant has violated or is violating or has failed or is failing to comply with any provision of Section 420.1 and following, or these rules or specifications, the Administrator, if the findings justify such action, shall issue an order suspending the registrant's registration permit for a period not to exceed ninety (90) days, revoking the registration permit, or imposing a fine of not more than Five Hundred One Thousand Dollars (\$51,000.00) for each separate offense. Any fine imposed pursuant to this section shall be deposited into the Liquefied Petroleum Gas Fund. The amount of the fine and the type of penalty imposed for an offense or violation shall be within the Administrator's discretion, provided that the following fines shall be imposed for the following offenses or violations, in addition to additional fines and penalties the Administrator may impose additional fines for repeated or aggravated offenses or violations:.~~

- ~~(1) Container Law (filling container owned conspicuously by another person) — [Title 52, O.S. 420.9(F)]: \$500.00 maximum fine.~~
- ~~(2) Unauthorized removal of red tag — [OAC 420:10-1-14(b)(9)]: \$500.00 maximum fine~~
- ~~(3) Failing to carry or use chock blocks — [NFPA 58, Ch.6 3.8]: \$500.00 maximum fine.~~

- (4) ~~Failing to complete or late filing of LPG Form 4 [OAC 420:10-1-15]: \$ 500.00 maximum fine per occurrence.~~
- (5) ~~Inaccurate meters or meter calibration [OAC 420:10-1-14 (b) (7)]: \$500.00 maximum fine.~~
- (6) ~~Meter gears do not match calibration report; Failing to report unsealed meter; Failing to give printed ticket [OAC 420:10-1-14(b)(7)]: \$500.00 maximum fine.~~
- (7) ~~Failing to obtain a proper permit to operate in LP Gas Industry [OAC 420:10-1-5]: \$500.00 maximum fine.~~
- (8) ~~Failing to renew existing permit before expiration [OAC 420:10-1-16]: 25% of permit cost maximum fine.~~
- (9) ~~Failing to attend safety school [OAC 420:10-1-16]: \$500.00 maximum fine.~~
- (10) ~~Failing to comply with inspection requirements [OAC 420:10-1-14]: \$500.00 maximum fine.~~
- (11) ~~Leaving Internal Safety Valve (ISV) open or manual liquid outlet valve open during transportation [NFPA 58, Ch.6 3.1.2]: \$500.00 maximum fine.~~
- (12) ~~ESV's not operating [NFPA 58, Ch.6 3.1.2]: \$500.00 maximum fine.~~
- (13) ~~Other violations of NFPA 58 & 54 [OAC 420:10-1-14]: \$500.00 maximum fine.~~
- (14) ~~Failing to list all storage sites [various]: \$500.00 maximum fine.~~
- (15) ~~Failing to pay invoice from Administrator within 35 days from issued date [various]: 25% of invoice maximum fine.~~
- (16) ~~No insurance [OAC 420:10-1-18]: \$500.00 maximum fine~~
- (17) ~~Failing to report accident [OAC 420:10-1-14(b)(3)]: \$500.00 maximum fine.~~
- (18) ~~Failing to attend management safety seminar [OAC 420:10-1-16]: \$500.00 maximum fine~~
- (d) ~~The Administrator's findings, judgment and order shall be reduced to writing and be recorded in a permanent public record to be retained in the office of the Administrator. order shall be in writing and include findings of fact and conclusions of law. Copies shall be furnished to the registrant complained against and to the board.~~
- (i) **Reconsideration.** Within ten (10) days after a final order is issued by the Administrator, the aggrieved party may ask the Board for reconsideration of the Order if there are adequate grounds set forth in section 317 of Article II of the Oklahoma Administrative Procedures Act. Any registrant who has been fined, or whose registration permit is suspended or revoked by the Administrator may, within thirty (30) days after such fine, suspension or revocation, file an appeal with the Board shall review the order of the Administrator de novo at the next scheduled meeting of the Board, and The Board shall affirm the Administrator's order if supported by substantial evidence.
- (j) **Appeal to District Court.** In the event the Board affirms in whole or in part the action of the Administrator, the registrant may, within thirty (30) days after the Board's action, file an appeal with the district court of Oklahoma County or in the county wherein the registrant resides or has its principal place of business in this state, pursuant to Article II of the Administrative Procedures Act. Upon filing of an appeal, enforcement of the Administrator's order shall be stayed pending final disposition of such appeal. Upon affirmance, the order shall become final and conclusive and the stay of enforcement shall be vacated.